ANALYTICAL RESEARCH LABS, INC.
2225 W. Alice Ave. • Phoenix, AZ 85021 USA • (602) 995-1580

PATIENT NAME:					
Matt Rossi				Theresa Vernon, L.Ac	
SEX: M	AGE: 51	DATE: 11/28/18	LAB NO. 551420	CLIENT ACCT. NO. 91046	

NUTRIENT MINERALS

CALCIUM (Ca)	MAGNESIUM (Mg)	SODIUM (Na)	POTASSIUM (K)	IRON (Fe)	COPPER (Cu)	MANGANESE (Mn)	ZINC (Zn)	CHROMIUM (Cr)	SELENIUM (Se)	PHOSPHORUS (P)
71.0	36.0	82.0	118.0	5.2	1.2	0.092	16.0	0.076	0.070	15.0
PREVIOUS TEST 35.0	PREVIOUS TEST 4.0	PREVIOUS TEST 72.0	PREVIOUS TEST 109.0	PREVIOUS TEST 1.2	PREVIOUS TEST 0.9	PREVIOUS TEST 0.027	PREVIOUS TEST 14.0	PREVIOUS TEST 0.086	PREVIOUS TEST 0.115	PREVIOUS TEST 14.0

TOXIC METALS

LEAD (Pb)	MERCURY (Hg)	CADMIUM (Cd)	ARSENIC (As)	ALUMINUM (Al)
0.012	0.004	0.003	0.001	5.90
PREVIOUS TEST 0.005	PREVIOUS TEST 0.007	PREVIOUS TEST 0.002	PREVIOUS TEST 0.007	PREVIOUS TEST 1.28

ADDITIONAL MINERALS

NICKEL (Ni)	COBALT (Co)	MOLYBDENUM (Mo)	LITHIUM (Li)	BORON (B)
0.027	0.005	0.004	0.009	N/A
PREVIOUS TEST 0.022	PREVIOUS TEST 0.002	PREVIOUS TEST 0.004	PREVIOUS TEST 0.003	PREVIOUS TEST N/A

SIGNIFICANT MINERAL RATIOS

MINERAL RATIO	IDEAL RATIO	CURRENT RATIO	% OF IDEAL	PREVIOUS RATIO	LOW	IDEAL	HIGH
CA/MG	6.67	1.97	30	8.75	○○○○○		
CA/K	4.00	0.60	15	0.32	○○○		
NA/MG	4.17	2.28	55	18.00	○○○○○○○○○○		
NA/K	2.50	0.69	28	0.66	○○○○○○ 2.04		
ZN/CU	8.00	13.33	167	15.56	○○○○○○○○○○○○○○○○○○○○		○○○○○○○○○○
CA/P	2.50	4.73	189	2.50	○○○○○○○○○○○○○○○○○○○○		○○○○○○○○○○○○○○

MIXED OXIDIZER [***] FAST OXIDIZER [ ] SLOW OXIDIZER [ ]

COPYRIGHT© 1981 by ANALYTICAL RESEARCH LABORATORIES, INC.